

HOXON GAKKI CORPORATION

Chaiyi, Taiwan



BRAID Swhat we would like to be...

Passion for Excellence

"Passion for Excellence" is the tribute to all CarolBrass family who spend whole their life for making great instruments. It's also our attitute to do everything regards to music and brass instruments. The key goal is to encourage the people who contribute to CarolBrass for being finest craftsmen, designers, and sales consultants in order to make excellent brass instruments and provide excellent services for the brass players around the world based on our passion for music and brass instruments.

Not the biggest but the best

Quality-oriented is the first concept come to our mind when we started making brass instruments.

We believe that quality is always the most important value of our instruments and service.

From beginner models to professional models, we maintain the consistently high quality based on seriously managing every production process.

Instead of looking at quantity, we put much more efforts on the status of each CarolBrass instrument.



Brief Intro about us...

Kim Kuo-An Lee, the founder of
Hoxnon Gakki Corporation, started making
ODM/OEM instruments since 1989.
Before Kim started Hoxon Gakki Corporation,
he used to work in a Taiwanese musicial
instrument company as a R & D lead designer
and craftsman for more than 8 years.
Being a key supplier of many worldwide
well-known musical instrument brands for
many years, Kim notices the necessity of
creating self-owned values, then self-owned
brand name "Carol" and parolBrass"
started being one of the
hottest key words on the internet.



Carol (2002.07 \sim 2010.12) The Previous Logo







1989

NOW 2012





CarolBrass (2011.01) The New Logo

RECALL THE LOST SPIRIT

About 30 years ago, when I first time saw the old trumpet models of several traditionaly big brands, I was very impressed by the amazing quality and respectable craftsmanship.

From that time, this being my ideal and I decide to learn from the spirits which within these old instruments and are hardly seen in these days.

Now we expect that our instruments re-present the spirit and touch player's mind again.



CarolBrass Founder





HOW TO GET

Styles Offered model numbering well

CTR-4000H-YSS-C-SLB

Finishing Type:

P = Polished

L = Clear Lacquer

S = Silver Plated

SG = Silver Gold Trim

SLB = Satin Lacquer Bell SL = Satin Lacquer AL = Amber Lacquer

SGG = Silver Gold Trim Plus

Eb = Eb Key

C = C KeyBb = Bb Key Bb-A = Bb-A Key Bb-F = Bb-F Key

Bell Thickness:

S = Standard, 0.024''(0.60 mm)M = Medium, 0.020"(0.50 mm)

T = Thin, 0.016''(0.40 mm)

S = Standard(37), Slow Taper

L = Large(72), Fast Taper

Bell Material:

Y = Yellow Brass

R = Red Brass

G = Gold Brass

P = Phosphor Bronze

Main Tuning Slide Type:

H = Heavy-weight(Standard)

L = Light-weight(Reversed)

0 = ML, 0.460"(11.70 mm) 4 = XL, 0.470"(11.94 mm)

2 = L, 0.465"(11.82 mm)

Leadpipe Material:

0 = Yellow Brass

6 = Sterling Silver

8 = Twin Tubes 5 = Gold Brass

Outer Tuning Slides Material: 0 = Yellow Brass

5 = Thick Wall Nickel Silver

2 = Nickel Silver

100(Beginner) 500(Professional) 600(Advanced Professional) 200(Beginner)

300(Intermediate) 400(Upper Intermediate) 700(Legend)

Instrument: CTR = Trumpets

CCR = Cornets

CFL = Flugelhorns

CPT = Pocket Trumpets

CTB = Trombones

MAKE YOUR SPECIFICATION **CAROLBRASS HORNS**

Players are welcome to select prefered options such as bore size, bell options and finishing type.

							St	vles	Offe	red S	pecif	icatio	n Oı	otion	s She	et									\equiv
Model		Bore Size		*Mair	n Slide	,	Bell N	•			-	ll Size/			Jul	к	ev			,	*Finishi	ng Type			
Trumpet	ML .460" (11.70)	L .465" (11.82)	XL .470" (11.94)	L	Н	Y	G	R	P	SS	SM	ST	LS	LM	LT	Bb	С	P	L	s	SG	SGG	SLB	SL	AL
CTR-1000H-YSS	•				•	•				•						•			•	0					
CTR-2000H-YSS	•				•	•				•						•			•	0					
CTR-3050H-YSS	•				•	•	0			•						•			•	0					
CTR-3250H-YSS	•				•	•	0			•						•			•	0					
CTR-4000H-YSS	•				•	•	0			•						•	0		•	0					
CTR-5000L-YST	•	0	0	•		•	0	0	0	0	0	•	0	0	0	•	0	0	•	0	0	0	0	0	0
CTR-5200L-YST	•	0	0	•		•	0	0	0	0	0	•	0	0	0	•	0	0	•	0	0	0	0	0	0
CTR-5060H-GSS	•	0	0	0	•	0	•	0	0	•	0	0	0	0	0	•	0	0	•	0	0	0	0	0	0
CTR-6280H-GSS	•	0	0		•	0	•	0	0	•	0	0	0	0	0	•		0	•	0	0	0	0	0	0
CTR-6580H-GSS	•	0	0		•	0	•	0	0	•	0	0	0	0	0	•		0	•	0	0	0	0	0	0
CTR-7000L-YSS	•	0	0	•		•	0	0	0	•	0	0	0	0	0	•								•	0
CTR-7660L-GSS	•	0	0	•		0	•	0	0	•	0	0	0	0	0	•								•	0
Cornet	ML	L	XL	*Trig	iggers	Y	G	R	P	SS	SM	ST	LS	LM	LT	Bb	С	P	L	S	SG	SGG	SLB	SL	AL
CCR-2000-YSS	•					•				•						•			•	0					
CCR-3000-YSS	•					•				•						•			•	0			0		
CCR-3880-GSS	•						•			•						•		0	0	0	0		•	0	
CCR-5000-YSS	0	● M.45	53"(11.50)			•				•		0				•	Eb	0	0	0	•		0	0	
CCR-6880-GSS	•	0		C	5		•	0		•	0					•		0	0	0	0	•	0	0	
Pocket Trumpet	ML	L	XL			Y	G	R	P	SS	SM	ST	LS	LM	LT	Bb	С	P	L	S	SG	SGG	SLB	SL	AL
CPT-3000-GLS	•						•			0			•			•		0	•	0	0		0	0	
CPT-4000-YLS	•					•							•				•	0	•	0	0		0	0	
Flugelhorn	S	.433"(11.00	0)			Y	G	R	P	SS	SM	ST	LS	LM	LT	Bb	С	L	P	S	SG	SGG	SLB	SL	AL
CFL-6200-GSS		•				0	•	0		•						•		0	•	0	0	0	0	0	

	Small Rore	Large Bore	*Bell M	Saterial	*Bell Size/ Thickness	*Tuning	Slide	M.	*Hand	Slide	M.	Hand	Slide U	Bow M	./ Type	1	Key	F	inishir	ıg	*F V	Vrap T	ype
Trombone	.500" (12.70)	.547" (13.90)	v	G	SS	Inner	Outer		Inner	Outer		Round	ed (1R)	Squared (3R)		Bb	Bb-F	p	ı	SLB	С	О	I
	(12.70)	(13.50)	•		33	Y	Y	N	N	Y	N	Yl	NI	Y3	N3	Б	Rotary	•	L	SLD	#=1	#=2	#=3
CTB-2207-YSS- YNNY-Y3	•	0	•	0	•	•		•	•	•	0			•		•		0	•	0			
CTR-30#9-YSS- YNNY-Y1		•	•		•	•		•	•	•	0	•	0	0	0		•	0	•	0	•	0	0
CTB-62#9-YSS- YNNN-N3		•	•	0	•	•		•	•		•	0	0	0	•		•	0	•	0	•	0	0

All specifications are subject to change without notice. For further information, please visit http://www.carolbrass.com or contact our friendly dealers

	CarolBrass Mouth	piece Sheet								
Instruments	Туре	Model								
		1C								
		1 ½ C								
		3C								
Trumpet	Standard	5C								
		7C								
		11AX								
		F1								
		7C								
	Standard Shank	11AX								
Cornet		Classic								
	Short Shank	Classic								
	Large Shank	3CFL								
Flugelhorn	Small Shank	3CFL								
		1 ½ G								
		2G								
	T 01 1	3G								
Trombone	Large Shank	4G								
		5G								
		6 1/2 AL								
	Small Shank	12C								



CTR - 1000H - YSS

Beginner trumpet, light-weight structure

Key: Bb

Bore: ML .460"(11.70 mm)
Bell Dia.: 4.843"(123.00 mm)
Finishing: Lacquer
Accessories: Small carrying bag,
7C mouthpiece, cleaning cloth,

cleaning rod, valve oil.

CTR - 2000H - YSS Beginner trumper, light-weight structur

Key: Bb

Bore: ML .460"(11.70 mm)
Bell Dia.: 4.843"(123.00 mm)
Finishing: Lacquer
Accessories: Small carrying bag,
7C mouthpiece, cleaning cloth,
cleaning rod, valve oil.

CTR - 3050H - YSS

Intermediate trumper

Key: Bb

Rey: Bb
Bore: ML .460"(11.70 mm)
Bell Dia.: 4.843"(123.00 mm)
Finishing: Lacquer
Accessories: ABS case,
7C mouthpiece, cleaning cloth,
cleaning rod, valve oil.

CTR - 3250H - YSS

Intermediate trumper

Key: Bb
Bore: ML .460"(11.70 mm)
Bell Dia.: 4.843"(123.00 mm)
Finishing: Lacquer
Accessories: ABS case,

7C mouthpiece, cleaning cloth, cleaning rod, valve oil.

CTR - 4000H - YSS

Upper Intermediate trumpet

Key: Bb
Bore: ML .460"(11.70 mm)
Bell Dia.: 5"(127.00 mm)
Finishing: Lacquer
Accessories: Deluxe multifunctional carrying bag, 3C mouthpiece, cleaning cloth, cleaning rod, valve oil. Added parts: 1 square main tuning slide.



TROMBONE

777

L .465"(11.82 mm) ell Dia.: 5"(127.00 mm) Satin Lacquer Bell Deluxe multifunctional

carrying bag, 3C mouthpiece,

cleaning cloth, cleaning rod, valve oil. Added parts: 1 square main tuning slide.



Director of Ball State University

"Everyone reacts differently to a horn. Play what FEELS right! The CTR-5060H-GSS-SLB feels right for me.

It slots well and gives me the sound I am looking for when I solo."

CTR - 5000L - YST

Bb

ML .460"(11.70 mm) Bell Dia.: 5"(127.00 mm) Lacquer

Deluxe multifunctional carrying bag, 3C mouthpiece, cleaning cloth, cleaning rod, valve oil.

- 1 square main tuning slide.
- 3 super thin finger buttons.
- 3 light weight valve springs.

CTR - 5060H - GSS - C Professional C trumpet

Bore: ML .460"(11.70 mm)
Bell Dia.: 5"(127.00 mm) Lacque

Deluxe multifunctional carrying bag, 3C mouthpiece, cleaning cloth, cleaning rod, valve oil.

- 1 square main tuning slide.
- 3 super thin finger buttons.
- 3 light weight valve springs.

ML .460"(11.70 mm) II Dia.: 5"(127.00 mm) Lacquer

Deluxe multifunctional carrying bag, 3C mouthpiece, cleaning cloth, cleaning rod, valve oil.

- 1 square main tuning slide.
- 3 super thin finger buttons.
- 3 light weight valve springs.



CTR - 5060H - GSS

ML .460"(11.70 mm) Bell Dia.: 5"(127.00 mm)

a: Lacquer

Deluxe multifunctional carrying bag, 3C mouthpiece, cleaning cloth, cleaning rod, valve oil.

- 1 square main tuning slide.
- 3 super thin finger buttons.
- 3 light weight valve springs



CTR - 5200L - YST - S

Bb e: ML .460"(11.70 mm) 5"(127.00 mm) Silver Plated Deluxe multifunctional

carrying bag, 3C mouthpiece, cleaning cloth, cleaning rod, valve oil.

- 1 square main tuning slide. 3 super thin finger buttons.
- 3 light weight valve springs.

CTR - 6280H - GSS

: Bb re: ML .460"(11.70 mm) II Dia.: 5"(127.00 mm) Lacquer Deluxe multifunctional carrying bag, 3C mouthpiece, cleaning cloth, cleaning rod, valve oil. 1 square main tuning slide. 3 super thin finger buttons.

3 light weight valve springs.

CTR - 6580H - GSS

ML .460"(11.70 mm) 5"(127.00 mm) Lacquer Deluxe multifunctional carrying bag, 3C mouthpiece, cleaning cloth, cleaning rod, valve oil.

1 square main tuning slide. 3 super thin finger buttons.

3 light weight valve springs.







I rely on in an instrument and

these horns far exceed

my expectations.



ML .460"(11.70 mm) Satin Lacquer Deluxe black semi

- 1 heavy weight buttons/caps set.
- 3 super thin finger buttons.
- 3 light weight valve springs.



genuine leather case, 3C mouthpiece, cleaning cloth, cleaning rod, valve oil.

- 1 square main tuning slide.









"I was searching for the right flugelhorn, and I've found it in CarolBrass!" "My CarolBrass flugelhorn is an incredibly versatife instrument capable of switching gears on a dime, which is necessary in today's music scene. I've received a number of compliments on the rich, dark, warm, round sound of my flugelhorn.

This is all thanks to the people at CarolBrass!"



S .433"(11.00 mm) Dia.: 6"(152.00 mm)

Deluxe wood shell similar leather case, 3CFL large shank mouthpiece, cleaning cloth, cleaning rod, valve oil.

1 small shank mouthpiece leadpipe.





Bb S: S .433"(11.00 mm) Dia.: 6"(152.00 mm) Shing: Satin Lacquer Bell

Deluxe wood shell similar leather case, 3CFL large shank mouthpiece, cleaning cloth,

cleaning rod, valve oil.

1 small shank mouthpiece leadpipe.



S .433"(11.00 mm) Din.: 6"(152.00 mm)

Deluxe wood shell similar leather case, 3CFL large shank mouthpiece, cleaning cloth, cleaning rod, valve oil.

1 small shank mouthpiece leadpipe.

POCKET TRUMPET

TROMBONE



ML .460"(11.70 mm) 4.724"(120.00 mm)

Lacquer

Deluxe wood shell similar leather case, 7C mouthpiece, cleaning cloth, cleaning rod, valve oil.



CCR - 5000 - GSS - SLB

Bb

: ML .460"(11.70 mm) 11. 4.724"(120.00 mm) Satin Lacquer Bell

Deluxe wood shell similar leather case, 7C mouthpiece, cleaning cloth, cleaning rod, valve oil.



CCR - 3880 - GSS - SLB

Bore: ML .460"(11.70 mm) Bell Dia.: 4.724"(120.00 mm) Satin Lacquer Bell

Deluxe wood shell similar leather case, 7C mouthpiece, cleaning cloth, cleaning rod, valve oil.



M .453"(11.50 mm) 4.724"(120.00 mm) Silver Gold Trim

Deluxe wood shell similar leather case, 11 AX mouthpiece, cleaning cloth, cleaning rod, valve oil.



CCR - 6880 - GSS - SGG

Bb

e: ML .460"(11.70 mm) Dia.: 4.843"(123.00 mm) Silver Gold Trim Plus

Deluxe wood shell similar leather case, Classic mouthpiece, cleaning cloth, cleaning rod, valve oil.



CCR - 6882T - GSS - SLB Professional dual triggers cornet

ey: Bb

e: L .465"(11.82 mm)

Bell Dia.: 4.843"(123.00 mm) Satin Lacquer Bell

Deluxe wood shell similar leather case, Classic mouthpiece, cleaning cloth, cleaning rod, valve oil.



CPT - 3000 - GLS

ML .460"(11.70 mm) 4.724"(120.00 mm)

Lacquer

Deluxe ABS case, 3C mouthpiece, cleaning cloth, cleaning rod, valve oil.



- GLS - SG

ML .460"(11.70 mm) 4.724"(120.00 mm) Silver Gold Trim

Deluxe ABS case, 3C mouthpiece,

cleaning cloth, cleaning rod, valve oil.



ML .460"(11.70 mm) 4.724"(120.00 mm) Satin Lacquer Bell

Deluxe ABS case, 3C mouthpiece, cleaning cloth, cleaning rod, valve oil.



ML .460"(11.70 mm) 4.724"(120.00 mm)

Lacquer

Deluxe ABS case, 3C mouthpiece, cleaning cloth, cleaning rod, valve oil.



Deluxe ABS Case

POCKET TRUMPET



Key; Bb Bore: S .500"(12.70 mm) Bell Dia.: 8"(203.00 mm)

Deluxe ABS case, 12C mouthpiece, cleaning cloth, cleaning rod, slide oil.



CTB-3019-YSS-YYNY-Y Large bore tenor trombone, close wrap

Bb-F

Bore: L .547"(13.90 mm) Bell Dia.: 8.5"(216.00 mm)

Lacquer

Deluxe ABS case, 6 1/2AL mouthpiece,

cleaning cloth, cleaning rod, slide oil.



L .547"(13.90 mm) 8.5"(216.00 mm)

Finishing: Lacquer
Accessories: Deluxe ABS case, 6 1/2AL mouthpiece, cleaning cloth, cleaning rod, slide oil.



Bb-F L .547"(13.90 mm)

Finishing: Lacquer
Accessories: Deluxe ABS case, 6 1/2AL mouthpiece,
4 different specification leadpipes (interchangeable),
cleaning cloth, cleaning rod, slide oil.







Bb-F

L .547"(13.90 mm) 8.5"(216.00 mm)

Finishing: Lacquer Accessories: Deluxe ABS case, 6 1/2AL mouthpiece, cleaning cloth, cleaning rod, slide oil.



Deluxe ABS Trombone Case



MATERIALS OFFERED

Different from traditional way

CarolBrass Materials Offered Series is an entirely new conception, new innovation of brass instruments: Overall Materials Offered models are defined the advanced professional levels instruments which involve trumpets, cornets, flugelhorns and piccolo trumpets. In the ideas of Materials Offered Series, we make instruments based on selected materials used in construction process, or formula. From lead pipe to bell, from inner tuning slides to outer tuning slides, from slide U bows to connector tubes; everything is made from the same material and with the same proportion of copper used in order to emphasize the certain metal sound characteristics and certain reflected glosses.



HOXON GAKKI CORPORATION

HOW TO GET

Materials Offered model numbering well

For Example:

CTR-8880H-GST

Finishing Type: Same as Styles Offered

Key: Same as Styles Offered

Bell Wall Thickness:

S = Standard, 0.024"(0.60 mm) M = Medium, 0.020"(0.50 mm) T = Thin, 0.016"(0.40 mm)

S = Standard(37), Slow Taper L = Large(72), Fast Taper

Bell Material:

Y = Yellow BrassG = Gold Brass

R = Red Brass P = Phosphor Bronze

Main Tuning Slide Style:

H = Heavy-weight(Standard) L = Light-weight(Reversed)

Bore Size:

0 = 0.460"(11.70 mm)

4 = 0.470"(11.94 mm)

2 = 0.465"(11.82 mm)

Material of Outer Tuning Slides: 1/3/4/6/7/8/9 (Same as Leadpipe, etc.)

Material of Inner Tuning Slides:

1/3/4/6/7/8/9 (Same as Leadpipe, etc.)

Material of Leadpipe / Valve Casing Tubes /

Tuning Slides U Bows: 1 = 10% Nickel, Nickel Silver 3 = 30% Nickel, Nickel Silver

7 = Yellow Brass

8 = Gold Brass 9 = Red Brass

4 = Phosphor Bronze 6 = Sterling Silver

Instrument:

CTR = Trumpets CCR = Cornets

CFL = Flugelhorns

CPC = Piccolo Trumpets

THINK DIFFERENT ON YOUR **CUSTOM CAROLBRASS HORNS**

Innovation makes us do others can't do

															Ņ	/Iai	teri	ials	0	ffer	rec	I Sp	eci	fica	tion	O	tio	ns !	She	et							_							
Model	V	alve		sing	Tu	bes/				*1	late	eria	l of	Tun	ing	Sli	des				*Bo			Iain lide	*B	ell M	later	rial	n	Bell	Size	/Thic	knes	is	,	Čey				*Fin	ishing	Туре		
			5 31	-				,		Inn	er	, ,		_	Outer				1					L.										L			_	,	-		-			
Trumpet	Y	G	R	P	1	3 5	3	Y G	B	P	1	3	s	Y	G	R	P	1 3	3 5	м	ι	ML	L	н	Y	G	R	P	ss	SM	ST	LS	LM	LT	Bb	c	P	L	s	SG	SGG	SLB	SL	
CTR-7770L-YST	•		1	1	Ť	Ť	•	•	t	t				•	T	T	t	t	T	•	C	0	•	0	•	0	0	0	0	0	•	0	0	0	•	C	C		0	0	0	0	0	5
TR-8880H-GST		•		T		T	Ī	•		T					•			T				Т	0	•	0	•	0	0	0	0	•	0	0	0	•	C	C	•	0	0	0	0	0)
TR-9990H-RSM			•		I		Ţ		•	•						•		T		•			0	•	0	0	•	0	0	•	0	0	0	0	•	C	0	•	0	0	0	0	0	į
TR-1110L-GST					•			Т	Г		•						•	•		•		Т	•	0	0	•	0	0	0	0	•	0	0	0	•	C	0		0	0	0	0	0	í
TR-3330L-YST						•	Ī					•						•		•	C	0	•	0	•	0	0	0	0	0	•	0	0	0	•	C	0	•	0	0	0	0	0	ì
TR-4440L-PSM				•				Τ	Γ	•						-	•	Т		•			•	0	0	0	0	•	0	•	0	0	0	0	•	C	0)	0	0	0			
TR-6660H-RSM				I	I	•	•	I	I				•				I	I	•	•			0	•	0	0	•	0	0	•	0	0	0	0	•	C	C	•	0	0	0	0	0	þ
Cornet	Y	G	R	P	1	3 5	5	Y G	F	P	1	3	s	Y	G	R	P	1 3	3 5	MI	L	XL			Y	G	R	P	SS	SM	ST	LS	LM	LT	Bb	C	P	L	S	SG	SGG	SLB	SL	
CCR-7770-YSS	•		+	t	t	t	•	•	t					•			t	t	t	•	C	0			•				•					Н	•		C		0	0	0	0	0	į
CCR-8880-GSS		•			Ī		Ī	•							•			T		•						•			•						•		C	•	0	0	0	0	0)
CCR-9990-RSM			•				Ī		•)						•	Ī			•		I					•			•					•		C	•	0	0	0	0	0	à
Flugelhorn	Y	G	R	P	1	3 5	5	Y G	B	P	ĩ	3	s	Y	G	R	P	1 3	3 5	5	S				Y	G	R	P	SS	SM	ST	LS	LM	LT	Bb	c	P	L	s	SG	SG	SLB	SL	
CFL-8880-GSS		•	+	t	t	+	+	•							•	+	t	$^{+}$	t	+	•				0	•			•					Н	•		C		0	0	0	0	0	5
CFL-9990-GSS			•	I		I	Ī	İ	•	,						•	İ	I	Ī		•						•		•						•		C	•	0	0	0	0	0	j
liccolo Trumpet	Y	G	R	P	1	3 5	5	Y G	3 R	P	1	3	s	Y	G	R	P	1 3	3 5	3	M	1			Y	G	R	P		SS 4.055 (103) st Ta)	1	LS 4.055 (103 ow T)	В	b-A	P	L	s	SG	SGG	SLB	SL	
CPT-7770-YLS	•			Ī	Ī	T	•	•	T	T	Г			•	T	T		T	T	Т	•	,			•					0			•		15	•	C		0	0	0	0	0	5
CPT-3330-YLS			T	T	1	•	T	T	T	T		•		\exists	П	T				T	•		1		•					0			•		1		C		0	0	0	0	0	,

Abbrevarious to Bore Size S. (1977) (Origin) O. (1897) (Summ) Mr. (1697) (Summ) J. (1697) (Summ) M. (1997) (Summ)

All specifications are subject to change without notice. For further information, please visit http://www.carolbrass.com/or contact our friendly dealer

Key: Bb

Bore: ML .460"(11.70 mm) Bell Dia.: 5"(127.00 mm) Finishing: Lacquer

Accessories: Deluxe multifunctional carrying bag, 3C mouthpiece, cleaning cloth, cleaning rod, valve oil.

Added parts:

1 Square main tuning.

3 super thin finger buttons. 3 light weight valve springs.

1 heavy buttons/caps set.

CTR - 4440L - PSM - AL

Key Bb Bore: ML .460"(11.70 mm) Bell Dia.: 5"(127.00 mm) Finishing: Lacquer

Accessories: Deluxe multifunctional carrying bag, 3C mouthpiece, cleaning cloth, cleaning rod, valve oil. Added parts:

1 Square main tuning.

3 super thin finger buttons.

3 light weight valve springs.

1 heavy buttons/caps set.

CTR - 6660H - YST

Key. Bb Bore: ML .460"(11.70 mm) Bell Dia.: 5"(127.00 mm) Finishing: Lacquer

Accessories: Deluxe multifunctional carrying bag, 3C mouthpiece, cleaning cloth, cleaning rod, valve oil. Added parts:

1 Square main tuning.

3 super thin finger buttons. 3 light weight valve springs.

1 light buttons/caps set.



Key: Bb

Bore: ML .460"(11.70 mm) Bell Dia.: 5"(127.00 mm) Finishing: Lacquer

Accessories: Deluxe multifunctional carrying bag, 3C mouthpiece, cleaning cloth, cleaning rod, valve oil.

Added parts: 1 Square main tuning.

3 super thin finger buttons.

3 light weight valve springs.


1 heavy buttons/caps set.











Key: Bb

Bore: ML .460"(11.70 mm) Bell Dia.: 5"(127.00 mm)

Finishing: Lacquer Accessories: Deluxe multifunctional carrying bag, 3C mouthpiece, cleaning cloth, cleaning rod, valve oil. Added parts:

1 Square main tuning.

3 super thin finger buttons.

3 light weight valve springs.

1 heavy buttons/caps set.

CTR - 8880H - GST

Key: Bb Bore: ML .460"(11.70 mm)

Bell Dia.: 5"(127.00 mm) Finishing: Lacquer

Accessories: Deluxe multifunctional carrying bag, 3C mouthpiece, cleaning cloth, cleaning rod, valve oil. Added parts:

1 Square main tuning.

3 super thin finger buttons.

3 light weight valve springs.

1 light buttons/caps set.

CTR - 9990H - RSM

Sound the warmer, richful

Key: Bb

Bore: ML .460"(11.70 mm) Bell Dia.: 5"(127.00 mm)

Finishing: Lacquer

Accessories: Deluxe multifunctional carrying bag, 3C mouthpiece, cleaning cloth, cleaning rod, valve oil. Added parts:

1 Square main tuning.

3 super thin finger buttons.

3 light weight valve springs.

1 light buttons/caps set.







Sound the warm

Key: Bb

Bore: ML .460"(11.70 mm) Bell Dia.: 4.843"(123.00 mm)

Finishing: Lacquer

Accessories: Deluxe wood shell similar leather case, Classic mouthpiece, cleaning cloth, cleaning rod, valve oil.

Added parts:

3 light weight valve springs.

CCR - 9990 - RSM

Sound the warmer

Key: Bb

Bore: ML .460"(11.70 mm) Bell Dia.: 4.843"(123.00 mm)

Finishing: Lacquer

Accessories: Deluxe wood shell similar leather case, Classic mouthpiece, cleaning cloth, cleaning rod, valve oil.

Added parts:

3 light weight valve springs.



Sound the warmer

Key: Bb

Bore: S .433"(11.00 mm) Bell Dia.: 6"(152.00 mm)

Finishing: Lacquer

Accessories: Deluxe wood shell similar leather case, 3CFL large shank mouthpiece, cleaning cloth,

cleaning rod, valve oil. Added parts:

1 small shank mouthpiece leadpipe.

CFL - 9990 - RSS

Sound the warmest

Key: Bb

Bore: S .433"(11.00 mm) Bell Dia.: 6"(152.00 mm)


Finishing: Lacquer

Accessories: Deluxe wood shell similar leather case, 3CFL large shank

mouthpiece, cleaning cloth, cleaning rod, valve oil.

Added parts:

1 small shank mouthpiece leadpipe.



Sound the bright, strong

Key: Bb-A

Bore: M .453"(11.50 mm) Bell Dia.: 4.055"(103.00 mm)

Finishing: Lacquer

Accessories: Deluxe wood shell similar leather case, 11AX cornet and trumpet mouthpieces, CR-A, CR-Bb, TR-A and TR-Bb leadpipes, cleaning cloth,

cleaning rod, valve oil. Added parts:

3 light weight valve springs.



CPC - 7770 - YLS

Sound the bright

Key: Bb-A

Bore: M .453"(11.50 mm) Bell Dia.: 4.055"(103.00 mm)

Finishing: Lacquer

Accessories: Deluxe wood shell similar leather case, 11AX cornet and trumpet mouthpieces, CR-A, CR-Bb, TR-A and TR-Bb leadpipes, cleaning cloth,

cleaning rod, valve oil.

Added parts:

3 light weight valve springs.







Deluxe Wood Shell Similar Leather Cases

For Flugelhorns, Cornets & Piccolo Trumpets



THE 7604 THE

For details please contact:

HOXON GAKKI CORPORATION



January 2012 Printed In Talwan